


Problem 1: Evaluate

$$(1) \quad \int_0^4 \int_{\sqrt{x}}^2 \frac{x}{y^5 + 1} dy dx$$

by changing the order of integration.

Hint: Start by drawing a picture of the region of integration.

Problem 2: Find the volume of the solid S in the first octant that is bounded by the cone $z = 1 - \sqrt{x^2 + y^2}$ and the plane $x + y + z = 1$.




Problem 3: Evaluate


$$(2) \quad \int_1^4 \int_z^{4z} \int_0^{\pi^2} \frac{\sin(\sqrt{yz})}{x^{\frac{3}{2}}} dy dx dz.$$

Hint: A different order of integration can make the problem easier, even though it is not necessary.

Problem 4: Find the volume of the solid region S outside the cone $\varphi = \frac{\pi}{4}$ and inside the sphere $\rho = 4 \cos(\varphi)$.



Problem 5: Find the volume of the solid region S that is bounded by the cylinders $r = 1$ and $r = 2$, and the cones $\varphi = \frac{\pi}{6}$ and $\varphi = \frac{\pi}{3}$.



Problem 6: Find the volume of the solid cylinder E whose height is 4 and whose base is the disk $\{(r, \theta) : 0 \leq r \leq 2 \cos(\theta)\}$.

